

MODEL GL105 ELEVATING PATHOLOGY WORKSTATION w/BACKDRAFT VENTILATION

Model GL105 Elevating Pathology Gross Station is our elite unit. All required features for any grossing procedure comes standard. We carry a complete listing of optional accessories to fulfill anyone's personal needs.

STANDARD DESIGN FEATURES

Length: 48 in./121 cm.
Length: 60 in./152 cm.
Length: 72 in./182 cm.
Height (Lowest): 83.5 in./212 cm.
Height (Fully Extended): 95.5 in./243 cm.
Width: 30 in./76 cm.

- All stainless steel construction of the entire work area and all exterior closure panels.
- Height adjustment from 32 in./81 cm. to 44 in./111 cm. via electro hydraulic mechanism
- Exhaust duct for connection to building ventilation system with adjustable bellows
- Large integral sink with mixing faucet
- Foot operated faucet control for hot and cold water
- Spray hose assembly with hand control
- Heavy-duty commercial waste disposer, 1/2 hp and switch
- Dissecting area rinse to provide a constant flow of water below the work area
- Top mounted LED light fixtures
- Formalin container with spigot
- Stainless C-fold paper towel holder
- Magnetic instrument holder
- Polyethylene dissecting board (Photo Blue)
- GFCI duplex receptacle w/waterproof cover
- **Length available: 48" L, 60" L, 72" L**

All measurements in inches/centimeters






Optional Accessories

See pages 7-14 to 7-16 for a full list of Grossing Station Accessories.

Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Please feel free to contact us.

Custom layout and designs are available.



MODEL GL105 LAYOUT DRAWING & OPTIONAL FEATURES


PATHOLOGY GROSSING STATIONS

Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Feel free to contact your sales associate.



MONITOR AND KEYBOARD MOUNT allows full articulation of the flat panel monitor and keyboard, folds up right over the mount and extends up to 11".



CPU WALL MOUNT

Designed for form factor, these mount fit CPU's from 4.6 to 8" wide. These units are constructed from heavy-duty aluminum, with neoprene padding to protect your CPU as it is clamped securely into the mount.



FLUORESCENT MAGNIFIER LIGHT

Flexible spring-balanced arm, handle in shade permits easy positioning.



MICROPHONE ON FLEX ARM

Easy-to-adjust, small-diameter, alternating gooseneck provides a steep low frequency attenuation to improve sound pickup without affecting voice quality.




HANDS FREE CONTROLS

Available for easy On/Off control of the table rinse, mixing faucet, waste disposal, and hot/cold water.



LED LIGHT

Long lasting efficient way of lighting any workstation, clean and elegant design, Energy Star Certification for year-round energy savings and is also ETL classified for safety.



SURGICAL EXAM LIGHT

Delivers bests in class intensity and color. Dual lens optical system collects and concentrates light into a precise beam.



ARTICULATING CAMERA MOUNT

has an articulated arm with large locking knob with variable friction. Supplied with a quick release camera plate and secondary safety lock.




REPLACEMENT FILTERS MODEL GL113

Activated filter for odorous and formaldehyde fumes



DIGITAL VOICE RECORDER

Easy to use voice recorder. Equipped with a front facing LCD screen, both convenient and compact.



FLEX ARM MAGNIFIER LIGHT

Flexible spring-balanced arm, handle in shade permits easy positioning. Retractable magnifying extension for closer examination.



FLEX ARM LED LIGHT

Adjustable to all angles using a 30" flexible arm and powerful LED bulb.

GROSSING STATION ACCESSORIES



TABLE END RINSE ASSEMBLY

Washes debris towards sink basin controlled by cold water valve or hands free control with back flow prevention.



3 SIDED PERIMETER RINSE

Washes debris towards sink basin controlled by cold water valve or hands free control.



HOT AND COLD FOOT VALVE

Sturdily constructed dual hot/cold foot pedal helps temper water and keep your hands free while working.



HANDS FREE SOAP DISPENSERS

High-efficiency pump mechanism provides quick and precise dispensing. Easy-to-use button control and the wide opening makes refills fast, easy and mess-free. (2) models available: Deck and Wall Mount

SELF CONTAINED VENTILATION ASSEMBLY

Consisting of 3 blowers with filters to clean and safely recycle air within your work area



COMPRESSED AIR VALVES

All brass with chrome plated finish. Visually marked for type of function required.



EMERGENCY EYEWASH / HOSE ASSEMBLY

Hand controlled spray to provide a gentle flow of water to rinse eyes of foreign debris



SPRAY HOSE ASSEMBLY

Easy grip assembly with flexible hose, conveniently placed for easy spray cleaning



SPECIMEN RINSE

Single mesh fine with a plastic handle includes stainless holder that fits over sink



PATHOLOGY GROSSING STATIONS



FLIP EYEWASH ASSEMBLY

Wall mounted polished chrome-plated brass single action pull down activated eye/face wash.



FORMALIN CARBOY W/ SPIGOT

Space saving rectangular shape and chemical resistant holds 9 liters.



FORMALIN DISPENSING AND COLLECTION

2.5 gl container and receptacle hold reserve formalin and collects waste. Foot controlled motor dispenses formalin at a steady flow.



VENTILATED TRASH CONTAINER

Made of stainless steel, can be provided for waste disposal. Top lid removes to hold a 13 gallon trash liner and 1.5 in./3 cm. duct attaches to station exhaust system for fume removal, Container size: 13" X 13" x 29"



STAINLESS STEEL STORAGE CONTAINERS UTILITY DRAWER / PULL OUT WRITING PLATFORM

Constructed of all stainless steel, this drawer is ideal for additional storage of utensils, office supplies or personal items.



FORM HOLDER

Sturdy construction and can be mounted to store documents away from any fluids and risk of damage, (2) provided standard.



SHARPS DISPOSAL CONTAINER

Solution for disposal of needles, syringes, and lancets, as well as other types of sharps and small quantities of medical waste.



DIGITAL SCALE

Compact scales are lightweight, portable and perfectly suited for laboratory and educational purposes.


GLOVE BOX HOLDER

Stainless Steel support to hold latex and nitrile glove boxes, holders come in a side or top load model. Available in 1, 2, & 3 capacity.



STAINLESS C-FOLD PAPER TOWEL HOLDER

Surface mounted towel dispenser. Fabricated of type 304, 22 gauge stainless. Tumbler lock holds front face in place.



SAFETY SPLASH GUARD

Mounted per customer specification. Articulating arm allows protection for both specimen and user from cross contamination.



STAINLESS STEEL STORAGE CONTAINERS

Containers set in a No. 4 finish, available in (2) sizes and are removable provided



REMOVABLE MEASURING RULER

Provides a convenient measuring device. Easily accessed mounted in plain sight.



FULL PLEXIGLASS ENCLOSURE

Covers and protects the working area for a clean and sanitary area. Constructed of 0.5 in./1 cm. plexiglass, contains fumes and reduces contaminants.



DRY ERASE BOARD

Provides easy dry-erase writing for meetings, brainstorming and discussions, strong fiberboard and frame resist warping and bending.



SEISMIC ANCHORS

Securely holds your grossing station in place with sturdy gauge floor mount brackets. Engineered seismic calculations available at an additional cost.

GROSSING STATION ACCESSORIES